



BOUNDLESS COOLING POSSIBILITIES

WITH OUR FREEZERS - ENGINEERED FOR EXCELLENCE



Hard Top Convertible Freezers



D070H161

Gross Volume: 72 Liters
Net Volume: 67 Liters
Dimensions (mm): 535 (W) x 518 (D) x 841 (H)
No. of Baskets: 1
Insulation: 60mm Polyurethane



D150H164

106 Liters
 105 Liters
Dimensions (mm): 635 (W) x 540 (D) x 885 (H)
No. of Baskets: 1
Insulation: 70mm Polyurethane



D225H122

190 Liters
 168 Liters
Dimensions (mm): 760 (W) x 695 (D) x 840 (H)
No. of Baskets: 1
Insulation: 60mm Polyurethane



D300H124

Gross Volume: 220 Liters
Net Volume: 216 Liters
Dimensions (mm): 933 (W) x 612 (D) x 890 (H)
No. of Baskets: 1
Insulation: 70mm Polyurethane



D300H224

224 Liters
 215 Liters
Dimensions (mm): 933 (W) x 612 (D) x 890 (H)
No. of Baskets: 1
Insulation: 70mm Polyurethane



D325H223

301 Liters
 269 Liters
Dimensions (mm): 1060 (W) x 695 (D) x 840 (H)
No. of Baskets: 1
Insulation: 60mm Polyurethane

Convertible Technology: Freezer or Cooler

Temperature Range: Freezer application: <-18°C, Cooler application: <10°C



D350H225

Gross Volume: 282 Liters
Net Volume: 280 Liters
Dimensions (mm): 1205 (W) x 612 (D) x 840 (H)
No. of Baskets: 1
Insulation: 70mm Polyurethane



D375H225

Gross Volume: 306 Liters
Net Volume: 302 Liters
Dimensions (mm): 1205 (W) x 612 (D) x 890 (H)
No. of Baskets: 1
Insulation: 70mm Polyurethane



D475H224

Gross Volume: 444 Liters
Net Volume: 402 Liters
Dimensions (mm): 1360 (W) x 695 (D) x 880 (H)
No. of Baskets: 2
Insulation: 60mm Polyurethane



D525H224

Gross Volume: 505 Liters
Net Volume: 454 Liters
Dimensions (mm): 1606 (W) x 695 (D) x 840 (H)
No. of Baskets: 2
Insulation: 60mm Polyurethane



D550H225

Gross Volume: 527 Liters
Net Volume: 502 Liters
Dimensions (mm): 1666 (W) x 695 (D) x 848 (H)
No. of Baskets: 2
Insulation: 60mm Polyurethane



D625H225

Gross Volume: 568 Liters
Net Volume: 542 Liters
Dimensions (mm): 1666 (W) x 690 (D) x 900 (H)
No. of Baskets: 2
Insulation: 60mm Polyurethane



D875H325

Gross Volume: 722 Liters
Net Volume: 703 Liters
Dimensions (mm): 1860 (W) x 780 (D) x 908 (H)
No. of Baskets: 1
Insulation: 60mm Polyurethane

Temperature Range: Freezer application: <-18°C, Cooler application: <10°C

Convertible Technology: Freezer or Cooler

WESTERN

Glass Top Freezers



F250GL25

Gross Volume: 192 Liters
Net Volume: 161 Liters
Dimensions (mm): 760 (W) x 695 (D) x 882 (H)
No. of Baskets: 1



F350GL25

Gross Volume: 311 Liters
Net Volume: 258 Liters
Dimensions (mm): 1060 (W) x 695 (D) x 882 (H)
No. of Baskets: 2



F450GL25

Gross Volume: 422 Liters
Net Volume: 357 Liters
Dimensions (mm): 1360 (W) x 695 (D) x 882 (H)
No. of Baskets: 3



F550GL25

Gross Volume: 536 Liters
Net Volume: 454 Liters
Dimensions (mm): 1650 (W) x 695 (D) x 882 (H)
No. of Baskets: 4

Temperature Range: <-18°C | **Insulation:** 60mm Polyurethane

Curved Glass Top Freezers



F325GC24

Gross Volume: 284 Liters
Net Volume: 223 Liters
Dimensions (mm): 1095 (W) x 644 (D) x 888 (H)
No. of Baskets: 2



F425GC24

Gross Volume: 350 Liters
Net Volume: 276 Liters
Dimensions (mm): 1296 (W) x 644 (D) x 888 (H)
No. of Baskets: 3

Temperature Range: <-18°C | **Insulation:** 60mm Polyurethane

Combi Freezers



B325H220

Gross Volume: Freezer- 162 L / Cooler- 123 L
Net Volume: Freezer- 146 L / Cooler- 114 L
Dimensions (mm): 1120 (W) x 695 (D) x 840 (H)
No. of Baskets: 1 in Freezer Section

B425H220

Gross Volume: Freezer- 162 L / Cooler- 205 L
Net Volume: Freezer- 145 L / Cooler- 188 L
Dimensions (mm): 1360 (W) x 695 (D) x 840 (H)
No. of Baskets: 1 in Freezer Section

B525H220

Gross Volume: Freezer- 215 L / Cooler- 258 L
Net Volume: Freezer- 192 L / Cooler- 235 L
Dimensions (mm): 1610 (W) x 695 (D) x 840 (H)
No. of Baskets: 1 in Freezer Section

Temperature Range: Freezer application: <-18°C, Cooler Compartment: <10°C | **Insulation:** 55mm Polyurethane

WESTERN

Hatched Door & Hard Top

Eutectic Freezers



E325H220

Gross Volume: 253 Liters
Net Volume: 236 Liters
Dimensions (mm): 1060 (W) x 695 (D) x 840 (H)
No. of Baskets: 1

E425H220

Gross Volume: 351 Liters
Net Volume: 329 Liters
Dimensions (mm): 1360 (W) x 695 (D) x 840 (H)
No. of Baskets: 2

E425D220

Gross Volume: 351 Liters
Net Volume: 329 Liters
Dimensions (mm): 1360 (W) x 695 (D) x 920 (H)
No. of Baskets: N.A.

E525D320

Gross Volume: 440 Liters
Net Volume: 406 Liters
Dimensions (mm): 1600 (W) x 695 (D) x 920 (H)
No. of Baskets: N.A.

Temperature Range: <-18°C | **Insulation:** 80mm Polyurethane

Glass Top

Eutectic Freezers



E425GT20

Gross Volume: 354 Liters
Net Volume: 329 Liters
Dimensions (mm): 1360 (W) x 695 (D) x 795 (H)
No. of Baskets: 2
Temperature Range: <-18°C
Insulation: 80mm Polyurethane

Scooping

Freezers



F450GT25 Scooping

Gross Volume: 422 Liters
Net Volume: 357 Liters
Dimensions (mm): 1360 (W) x 695 (D) x 1266 (H)
No. of Baskets: 3

F550GT25 Scooping

Gross Volume: 536 Liters
Net Volume: 454 Liters
Dimensions (mm): 1650 (W) x 695 (D) x 1266 (H)
No. of Baskets: 4

Temperature Range: <-18°C | **Insulation:** 60mm Polyurethane

Freezer on Wheels



G200H120

Gross Volume:	117 Liters
Net Volume:	115 Liters
Dimensions (mm):	940 (W) x 640 (D) x 785 (H)
No. of Baskets:	N.A.
Temperature Range:	<-18°C
Insulation:	60mm Polyurethane

G250H120

Gross Volume:	142 Liters
Net Volume:	139 Liters
Dimensions (mm):	940 (W) x 640 (D) x 905 (H)
No. of Baskets:	N.A.
Temperature Range:	<-18°C
Insulation:	65mm Polyurethane

G300H220

Gross Volume:	206 Liters
Net Volume:	202 Liters
Dimensions (mm):	990 (W) x 633 (D) x 890 (H)
No. of Baskets:	N.A.
Temperature Range:	<-18°C
Insulation:	60mm Polyurethane

Vertical Freezers



Also Available in Edge Lit

SRF205HC-GL

Gross Volume:	138 Liters
Net Volume:	109 Liters
Dimensions (mm):	514 (W) x 549 (D) x 1265 (H)
No. of Shelves:	3

SRF350HC1-GLI

Gross Volume:	341 Liters
Net Volume:	287 Liters
Dimensions (mm):	623 (W) x 680 (D) x 1790 (H)
No. of Shelves:	4

SRF550HC-GLI

Gross Volume:	467 Liters
Net Volume:	405 Liters
Dimensions (mm):	623 (W) x 715 (D) x 2099 (H)
No. of Shelves:	6

SRF900HC-GL

Gross Volume:	762 Liters
Net Volume:	672 Liters
Dimensions (mm):	920 (W) x 780 (D) x 2128 (H)
No. of Shelves:	10

Temperature Range: Freezer application: <-18°C

WESTERN

Supermarket

Freezers



SMF12-GL

Gross Volume:	935 Liters
Net Volume:	863 Liters
Dimensions (mm):	1200 (W) x 757 (D) x 1930 (H)
Temp. Range	-18°C to -23°C
No. of Shelves:	10

SMF18-GL

Gross Volume:	1454 Liters
Net Volume:	1236 Liters
Dimensions (mm):	1800 (W) x 757 (D) x 1930 (H)
Temp. Range	-18°C to -23°C
No. of Shelves:	15

SOUTH ZONE:

Chennai	: Old No.14, New No. 47, 12th Avenue, Ashok Nagar, Chennai-600 083.
Coimbatore	: Priya Ware House, No.52/1, Uzhalaipalar Street, Periyagounden, Thottam, Urumandampa layam, G.N. Mills Post, Coimbatore-641 029.
Cochin	: B.No: 2/378A, Methanam Road, Eloor North, Udyogamandal P.O. Kochi-683 501.
Hyderabad	: D. No: 2 - 99, K.S.Towers, Vennelagadda, Besides Sarvothama Care, Near Suchitra Centre, Jedimetla (V), Hyderabad-500 055.
Bangalore	: Survey 42/1, Katha No. 191/142/1, Haralukkute Village, Begur Hobli, Trio Apparels Compound, Hosapalya, Muneshwar Nagar, Kudlu Main Road, Bangalore-560 068.
Vijaywada	: Door No.2-105/2, Kamakshi Godown, Nallagunta Centre, Gollapudi, Vijayawada Rural, Krishna Dist., AP-521 225.
Vizag	: Served from Vijaywada.
Hubli	: C/O -Madhuban Industries, Plot No. 117, 179 Rayapur Industrial Area, Behind Navalur Railway Goods Shed, Dharwad-580 009 (Karnataka)

EAST ZONE

Kolkata	: 19A Jawaharlal Nehru Road, 3rd Floor, Flat No. D/1, Kolkata-700 087.
Bhubaneswar	: C/O-Lingaraj Body Building Works, Plot No-1143, Near U.G.M.E School, At Hanspal, PS-Mancheswar, Bhubaneswar-752 101 (ODISHA).
Patna	: S S Vihar, 4th Floor, Flat No.107, Station Road, Karbigahiya, Beside Bhagawati Complex and Ram Dulari Hotel, Patna-800 001.
Guwahati	: 1st Floor, Upasana Palace Complex, R P Road, Ganeshguri, Guwahati, Kamrup Metropolitan Guwahati - 781 006, Assam.
Ranchi	: Lower Chutia, Samlong, Ranchi, Jharkhand-834 001.
Chattisgarh	: Acharya Nanesh Marg, D-272 M.R. Colony Tagore Nagar Square, Raipur-492 001 (CG)

WEST ZONE:

Mumbai RO	: 7B Pannalal Silk Mills Compound, 78 LBS Marg, Bhandup (W), Mumbai, Maharashtra.
Mumbai HO	: 501-505, 05th Floor, Ascot Centre, Sahar Road, Beside Hotel Hilton, Andheri (East), Mumbai-400 099
Pune	: 2163/26, Manas Building, Near Nilayam theatre, Sadashiv Peth, Pune-411 030.
Nashik	: Bilvadal Bungalow, Gaikwad Mala, Near Jain Bhavan, Nasik Road, Pin-422 101.
Nagpur	: Plot No. 54, Veer Sawarkar Nagar, Near Chhatrapati Square, Nagpur-440 015.
Ahmedabad	: 203, ABC -II, Opp. Wagh Bakri Tea Lounge, Near St. Xavier College Corner, Off CG Road, Navrangpura, Ahmedabad-380 009.
Rajkot	: Served From Ahmedabad.
Goa	: Shop No. 1 & 2, Ground Floor, Bearing S.V.No. 82/4, Mercurim, Agassaim-403 204, Goa.
Indore	: Plot No.160 PU 4 Scheme No. 54, A.B. Road, Indore-452 001.
Vapi	: Contact No. 7567533958

NORTH ZONE:

Delhi	: Unit No. GH-1, Ground Floor, Vardhman Grand Plaza, Manglam Place, Sector-3, Rohini, Delhi-110 085.
Jaipur	: Hall Mark, Special ("F"), Road No. 1, Industrial Estate 22 Godam, Jaipur, Rajasthan-302 006.
Lucknow	: Ho. No. 610/2395 (533a) Faizullahganj - 3, Keshav Nagar, Sitapur Road, Lucknow (U.P.)-226 021.
Ludhiana	: 4222/1, Bent Pura, Chandigarh Road, Behind Sictech Computer, Ludhiana-141 010.
Chandigarh	: Near Hotel KK Residency Shop No. 1, House No. 213 Sector 52, Village-Kajheri Chandigarh (U.T)-160 047.
Jammu	: Birpur, Purmandal Road, Samba Jammu-181 133 (INDIA).



RELIABLE SERVICE

Our extensive service network ensures swift service and maintenance for all Western Equipment.

Call us at : **70450 17000**



COMPLETE SALES SUPPORT

With 25 branches across India, we're here to fulfill all your refrigeration needs.

Reach out at : **022 6907 0000**



Western Refrigeration Pvt. Ltd.

Office Premises 501-505, 5th Floor,
Ascot Centre, Sahar Road, Next to Hotel Hilton,
Andheri (East), Mumbai-400 099.
Email ID: sales@westernequipments.com
Contact No.: 022 6788 1200 / 201
Website: www.westernequipments.com



WANT TO KNOW MORE?
SCAN HERE!