



Western Refrigeration Private Limited

LARGEST MANUFACTURER OF COMMERCIAL COOLERS IN INDIA
A PROUD LEGACY OF 50 YEARS OF EXCELLENCE



Western Ice Machine



Western Refrigeration Pvt. Ltd., India's leading commercial refrigeration manufacturer, proudly presents its advanced range of Ice Making Machines — built to meet the growing demand for hygienic, consistent, and energy-efficient ice production in India's harsh tropical conditions.

Whether it's for restaurants, bars, cafes, hotels, or healthcare facilities, Western Ice Machines deliver:

- Reliable daily output with robust engineering
- Food-grade stainless steel interiors for maximum hygiene
- Eco-friendly refrigerants and energy-efficient cooling systems
- Compact designs suited for modern commercial spaces
- Nationwide service support with 238+ franchise locations

Engineered for performance. Backed by trust. Made for India.



Unique Selling Proposition (USP)



- **Engineered for Indian Conditions** – Built to deliver consistent ice output even in high-ambient, humid environments
- **Hygienic Ice Production** – Food-grade stainless steel contact parts ensure safe, clean ice every time
- **Energy-Efficient Cooling** – Uses eco-friendly refrigerants and optimized compressors for low power consumption
- **Compact & Modular Design** – Designed to fit seamlessly into space-constrained commercial kitchens and cafés
- **Certified Quality** – Manufactured with globally benchmarked standards and stringent quality checks
- **In-House R&D & Manufacturing** – Ensures faster innovation, tailored products, and better reliability

Our expansive network of **238+ franchise locations**, supported by **200+ skilled technicians**, ensures dependable service across all major markets



Western Ice Machine

WOI-30H



Bubble Top Option



Technical Specifications

Ice Shape (mm)

Dimensions (mm)

Capacity / Day (kgs)

Storage Capacity

Gross weight

Net Weight

Footprint

Refrigerant:

Power Supply

Energy consumption

Cube (22 x 22 x 22) 10g

415 (W) x 467 (D) x 768 (H - with 25mm leg)

26.3 (21°C Ambient & 15°C Inlet Water Temp.)

9.5 kg

40 Kg


38 kg

0.19 sq. m.

R-290

230V Ac/50Hz

3.39 kWh/24 Hrs



WOI-45



Bubble Top Option



Technical Specifications

Ice Shape (mm)

Dimensions (mm)

Capacity / Day (kgs)

Storage Capacity

Gross weight

Net Weight

Footprint

Refrigerant:

Power Supply

Energy consumption

Cube (22 x 22 x 22) 10g

500 (W) x 596 (D) x 897 (H - with 90mm leg)

43 (21°C Ambient & 15°C Inlet Water Temp.)

15 kg

51 Kg

45 kg

0.29 sq. m.

230V Ac/50Hz

WOI-80



Technical Specifications

Ice Shape (mm)

Dimensions (mm)

Capacity / Day (kgs)

Storage Capacity

Gross weight

Net Weight

Footprint

Refrigerant:

Power Supply

Energy consumption

Cube (22 x 22 x 22) 10g

660 (W) x 708 (D) x 1084 (H - with 90mm leg)

67.1 (21°C Ambient & 15°C Inlet Water Temp.)

32 kg

68 Kg

63 kg

0.46 sq. m.

R404a

230V Ac/50Hz

10.32 kWh/24 Hrs

WOI-125



Technical Specifications

Ice Shape (mm)	Cube (22 x 22 x 22) 10g
Dimensions (mm)	660 (W) x 708 (D) x 1232 (H - with 90mm leg)
Capacity / Day (kgs)	98.5 (21°C Ambient & 15°C Inlet Water Temp.)
Storage Capacity	43.6 kg
Gross weight	72 Kg
Net Weight	66 kg
Footprint	0.46 sq. m.
Refrigerant:	R404a
Power Supply	230V Ac/50Hz
Energy consumption	14.31 kWh/24 Hrs



Hoshizaki Ice Machine

KM-100S-HC1



Technical Specifications

Ice Shape (mm)

Dimensions (mm)

Capacity / Day (kgs)

Storage Capacity

Gross weight

Net Weight

Footprint

Refrigerant:

Power Supply

Energy consumption

Crescent Shape Ice (7 gm)

605 (W) x 712 (D) x 848 (H)

Approx. 90kg/day (AT.10°C, WT. 10°C)

Approx. 82kg/day (AT.21°C, WT. 15°C)

34 Kg

72 Kg

58 kg

0.43 sq. m.

R-290

230V Ac/50Hz

8.17kWh /24 Hrs (Ambient Temp 10°C & Water Temp 10°C)

8.98kWh /24 Hrs (Ambient Temp 21°C & Water Temp 15°C)

Made in India | Japanese Technology | Patented Crescent Ice |
Hydrocarbon Refrigerant | Double-Sided SS Evaporator | CycleSaver
Design | IEC Safety Compliant

IM-240A-HC1



Technical Specifications

Ice Shape (mm)

Dimensions (mm)

Capacity / Day (kgs)

Storage Capacity

Gross weight

Net Weight

Footprint

Refrigerant:

Power Supply

Energy consumption

Cube shape ice / Approx. 22 to 24 gram/ Approx. 28 X 28 X 32

560 (W) x 700 (D) x 880 (H)

Approx. 164 (5mm) / 190 (15mm) kg/day (AT.10°C, WT.10°C)

Approx. 152 (5mm) / 175 (15mm) kg/day (AT.21°C, WT. 15°C)

Approx. 136kg (Optional)

87 Kg

73 Kg

0.39 sq. m.

R-290

Electric / 1 Phase / 230V AC / 50 Hz

16.27kWh / 24 Hrs (5mm) (AT. 10°C, WT. 10°C)

17.90kWh / 24 Hrs (5mm) (AT. 21°C, WT. 15°C)

Made in India | Japanese Technology | Cube Ice | Hydrocarbon
Refrigerant | Modular Design | Easy Service Design



Thank You!