

Western Refrigeration Private Limited

LARGEST MANUFACTURER OF COMMERCIAL COOLERS IN INDIA
A PROUD LEGACY OF 50 YEARS OF EXCELLENCE





Pastry Cabinet Range

Great desserts deserve a better stage



PTWo6HC- COLD

Technical Specifications

Gross Volume

232 Litre

Net Volume

205 Litre

Net weight

122 Kg (with glass shelf) $\pm$ 5%

External Dims. (mm)

600 (W) x 665 (D) x 1235 (H)

Internal Dims. (mm)

510 (W) x 596 (D) x 710 (H)

Foot Print

0.40 sq. m

Product display area

Front: 0.32 sq.m / Back: 0.21 sq.m/ Top:

0.16 sq.m/side: 0.58 sq.m

Temperature Range

2° to 10° C

Shelves (Nos.)

Base + 3 Shelves

Refrigerant

R290

Variant

Cold

Energy consumption

4.58 kWh/24 hrs



Waterfall Shelves | Adjustable Shelf Pitch | Faster pull down | Heated Front Glass | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On | Wire on Tube condenser for low maintenance

PTWo6AN- AMBIENT



Technical Specifications

Gross Volume

260 Litre

Net Volume

233 Litre

Net weight

78 Kg (without glass shelf)

External Dims. (mm)

600 (W) X 665 (D) X 1235 (H)

Internal Dims. (mm)

550 (W) X 613 (D) X 730 (H)

Foot Print

0.4 sq. m

Product display area

Front: 0.32 sq.m / Back: 0.21 sq.m/ Top:
0.16 sq.m/side: 0.58 sq.m

Shelves (Nos.)

Base + 3 Shelves

Variant

Ambient

Energy consumption

0.578 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves | On/Off Switch for Lights

PTWo6H- HOT



Technical Specifications

Gross Volume	260 Litre
Net Volume	233 Litre
Net weight	82 Kg (without glass shelf)
External Dims. (mm)	600 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	550 (W) X 613 (D) X 730 (H)
Foot Print	0.4 sq. m
Product display area	Front: 0.32 sq.m / Back: 0.21 sq.m/ Top: 0.16 sq.m/side: 0.58 sq.m
Temperature Range	40°C to 70°C
Shelves (Nos.)	Base + 3 Shelves
Variant	Hot
Energy consumption	9.608 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On/off switch for lights and glass heater | Uniform Heating System

PTW09HC- COLD



Technical Specifications

Gross Volume	360 Liter
Net Volume	320 Liter
Net weight	150 Kg (with glass shelf) $\pm$ 5%
External Dims. (mm)	900 (W) x 665 (D) x 1235 (H)
Internal Dims. (mm)	810 (W) x 570 (D) x 710 (H)
Foot Print	0.6 sq.m
Product display area	Front: 0.52 sq.m / Back: 0.31 sq.m/ Top: 0.27 sq.m/side: 0.58 sq.m
Temperature Range	2° to 10° C
Shelves (Nos.)	Base + 3 Shelves
Variant	Cold
Refrigerant	R-290
Energy consumption	6.74 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Faster pull down | Heated Front Glass | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On | Wire on Tube condenser for low maintenance

PTW09AN- AMBIENT



Technical Specifications

Gross Volume

360 Litre

Net Volume

379 Litre

Net weight

102 Kg (without glass shelf)

External Dims. (mm)

900 (W) X 665 (D) X 1235 (H)

Internal Dims. (mm)

850 (W) X 633 (D) X 730 (H)

Foot Print

0.6 sq. m

Product display area

Front: 0.52 sq.m / Back: 0.31 sq.m/ Top: 0.27 sq.m/side: 0.58 sq.m

Shelves (Nos.)

Base + 3 Shelves

Variant

Ambient

Energy consumption

0.45 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves | On/Off Switch for Lights

PTW09H- HOT




Technical Specifications

Gross Volume	360 Litre
Net Volume	379 Litre
Net weight	105 Kg (without glass shelf)
External Dims. (mm)	900 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	850 (W) X 633 (D) X 730 (H)
Foot Print	0.6 sq. m
Product display area	Front: 0.52 sq.m / Back: 0.31 sq.m/ Top: 0.27 sq.m/side: 0.58 sq.m
Temperature Range	40°C to 70°C
Shelves (Nos.)	Base + 3 Shelves
Variant	Hot
Energy consumption	15.714 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On/off switch for lights and glass heater | Uniform Heating System

PTW12HC- COLD




Technical Specifications

Gross Volume	500 Liter
Net Volume	435 Liter
Net weight	180 Kg (with glass shelf) $\pm$ 5%
External Dims. (mm)	1200 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	1110 (W) X 570 (D) X 710 (H)
Foot Print	0.80 sq. m
Product display area	Front: 0.73 sq.m / Back: 0.50 sq.m/ Top: 0.38 sq.m/side: 0.58 sq.m
Temperature Range	2° to 10° C
Shelves (Nos.)	Base + 3 Shelves
Variant	Cold
Refrigerant	R-290
Energy consumption	7.44 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Faster pull down | Heated Front Glass | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On | Wire on Tube condenser for low maintenance | Low cost Variant | **Stainless Steel Variant**

PTW12AN- AMBIENT



Technical Specifications

Gross Volume	500 Litre
Net Volume	435 Litre
Net weight	144 Kg (with glass shelf)
External Dims. (mm)	1200 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	1149 (W) X 617 (D) X 732 (H)
Foot Print	0.8 sq. m
Product display area	Front: 0.73 sq.m / Back: 0.50 sq.m/ Top: 0.38 sq.m/side: 0.58 sq.m
Shelves (Nos.)	Base + 3 Shelves
Variant	Ambient
Energy consumption	0.9 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves | On/Off Switch for Lights | Low cost Variant | **Stainless Steel Variant**

PTW12H- HOT



Technical Specifications

Gross Volume	500 Litre
Net Volume	435 Litre
Net weight	150 Kg (without glass shelf)
External Dims. (mm)	1200 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	1149 (W) X 617 (D) X 732 (H)
Foot Print	0.8 sq. m
Product display area	Front: 0.73 sq.m / Back: 0.50 sq.m/ Top: 0.38 sq.m/side: 0.58 sq.m
Temperature Range	40°C to 70°C
Shelves (Nos.)	Base + 3 Shelves
Variant	Hot
Energy consumption	17.30 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On/off switch for lights and glass heater | Uniform Heating System | Low cost Variant | Stainless Steel Variant

PTW15HC- COLD



Technical Specifications

Gross Volume

660 Liter

Net Volume

577 Liter

Net weight

225 Kg (with glass shelf) $\pm$ 5%

External Dims. (mm)

1500 (W) X 665 (D) X 1235 (H)

Internal Dims. (mm)

1410 (W) X 570 (D) X 710 (H)

Foot Print

1.0 sq. m

Product display area

Front: 0.93sq.m / Back: 0.68 sq.m/ Top: 0.49 sq.m/side: 0.3 sq.m

Temperature Range

2° to 10° C

Shelves (Nos.)

Base + 3 Shelves

Variant

Cold

Refrigerant

R-290

Energy consumption

9.95 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Faster pull down | Heated Front Glass | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On | Wire on Tube condenser for low maintenance

PTW15AN- AMBIENT



Technical Specifications

Gross Volume	660 Litre
Net Volume	573 Litre
Net weight	148 Kg (without glass shelf)
External Dims. (mm)	1500 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	1450 (W) X 570 (D) X 710 (H)
Foot Print	1.0 sq. m
Product display area	Front: 0.93 sq.m / Back: 0.68 sq.m/ Top: 0.49 sq.m / side: 0.3 sq.m
Shelves (Nos.)	Base + 3 Shelves
Variant	Ambient
Energy consumption	0.86 kWh/24 hours

Waterfall Shelves | Adjustable Shelf Pitch | Faster pull down | Heated Front Glass | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On/off switch for lights and glass heater | Wire on Tube condenser for low maintenance

PTW15H- HOT



Technical Specifications

Gross Volume	660 Litre
Net Volume	573 Litre
Net weight	155 Kg (without glass shelf)
External Dims. (mm)	1500 (W) X 665 (D) X 1235 (H)
Internal Dims. (mm)	1450 (W) X 617 (D) X 732 (H)
Foot Print	1.0 sq. m
Product display area	Front: 0.93 sq.m / Back: 0.68 sq.m/ Top: 0.49 sq.m / RH side: 0.3 sq.m & LH side: 0.3 sq.m
Temperature Range	40°C to 70°C
Shelves (Nos.)	Base + 3 Shelves
Variant	Hot
Energy consumption	22.558 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On/off switch for lights and glass heater | Uniform Heating System

PTW15PHC-SBX

Partition for Veg & Non Veg Section



Technical Specifications

Gross Volume

Net Volume

Net weight

External Dims. (mm)

Internal Dims. (mm)

Foot Print

Product display area

Temperature Range

Shelves (Nos.)

Refrigerant

Energy consumption

Veg: 248 Liter, Non-Veg: 387 Liter

Veg: 216 Liter, Non-Veg: 337 Liter

212 Kg (without glass shelf) $\pm$ 5%

1500 (W) X 665 (D) X 1235 (H)

Veg: 550 (W) X 570 (D) X 710 (H)

Non-Veg: 830 (W) X 570 (D) X 710 (H)

1.0 sq. m

Front: 0.93sq.m / Back: 0.68 sq.m/ Top: 0.49
sq.m/side: 0.3 sq.m

2°C to 5°C

Base + 2 Shelves

Optional Base +3 option available

R-290

10.18 kWh/24 hrs

Waterfall Shelves | Adjustable Shelf Pitch | Faster pull down | Heated Front Glass | Electronic temperature control | Stainless steel bottom shelf | Castor wheel for easy movement | LED lamps for individual shelves On/off switch for lights and glass heater | Wire on Tube condenser for low maintenance

Golden Confectionary Cabinet

FEATURES

- Elegantly Golden Radiance
- Sturdy Waterfall Shelving for Optimal Display
- Durable Shelves Designed to Support Mithai Weights
- Seamless Customization with Adjustable Shelving
- Secure Power System with Anti-Rodent Conduit Protection

AVAILABLE SIZES

	PTW09HC-GD	PTW12HC-GD	PTW15HC-GD
Gross Volume (Ltr.)	360	500	660
Net Volume (Ltr.)	320	435	577
External Dimensions (mm)	900 (W) x 665 (D) x 1235 (H)	1200 (W) x 665 (D) x 1235 (H)	1500 (W) x 665 (D) x 1235 (H)
Internal Dimensions (mm)	810 (W) x 570 (D) x 710 (H)	1110 (W) x 570 (D) x 710 (H)	1410 (W) x 570 (D) x 710 (H)
Foot Print (Sq. Mtr.)	0.6	0.8	1
Refrigerant	R290	R290	R290
Temperature Range	2 to 10° C	2 to 10° C	2 to 10° C
Shelves (Nos.)	3 + 1	3 + 1	3 + 1
Energy Consumption	6.74 kWh/24 hrs	7.44 kWh/24 hrs	9.95 kWh/24 hrs



Vertical Pastry Cabinet Range

PTW775VHC



Technical Specifications

Gross Volume	658 Liters
Net Volume	635 Liters
Net weight	140 Kg With IPS / 137 Kg without IPS $\pm$ 5%
External Dims. (mm)	720 (W) x 822 (D) x 1937 (H)
Internal Dims. (mm)	640 (W) x 680 (D) x 1631 (H)
Foot Print	0.59 sq. m
Product display area	0.98 sq. m
Temperature Range	2°C to 10°C
Available Variant	AmbCold
Shelves (Nos.)	Base + 7 Shelves
Refrigerant	R-290
Energy consumption	4.23 kWh/24 hrs

Three-Side Visibility | Slim, Space-Saving Design | LED illumination | Low maintenance | Also available in Black

PTW1165VHC



Technical Specifications

Gross Volume	820 litre
Net Volume	771 litre
Net weight	207 Kg with IPS / 203 Kg without IPS $\pm$ 5%
External Dims. (mm)	1025 (W) x 735 (D) x 1968 (H)
Internal Dims. (mm)	945 (W) x 590 (D) x 1631 (H)
Foot Print	0.75 sq. m
Product display area	1.27 sq. m
Temperature Range	2°C to 10°C
Available Variant	Cold
Shelves (Nos.)	Base + 7 Shelves
Refrigerant	R-290
Energy consumption	4.39 kWh/24 hrs

Three-Side Visibility | Slim, Space-Saving Design | LED illumination | Low maintenance | Also available in Black

Premium Pastry Cabinet Range

PPTW12HC



Technical Specifications

Gross Volume

526 Liters

Net Volume

447 Liters

Net weight

180 Kg (with glass shelf) $\pm$ 5%

External Dims. (mm)

1158 (W) X 676 (D) X 1244 (H)

Internal Dims. (mm)

1105 (W) X 575 (D) X 709 (H)

Foot Print

0.78 sq. m

Product display area

Front: 0.73 sq.m / Back: 0.50 sq.m/ Top: 0.42 sq.m/side: 0.70 sq.m(0.35x2)

Temperature Range

2°C to 10°C

Available Variants

Cold

Shelves (Nos.)

Base + 3 Shelves

Refrigerant

R-290

Energy consumption

6.44 kWh/24 hrs

Waterfall Shelves | Ultra clear Glass | Adjustable Shelf Pitch | Stainless steel bottom shelf | LED Illumination | Low maintenance

PPTW15HC



Technical Specifications

Gross Volume	671 Liters
Net Volume	570 Liters
Net weight	215 kg
External Dims. (mm)	1458 (W) X 676 (D) X 1244 (H)
Internal Dims. (mm)	1405 (W) x 575(D) x 709 (H)
Foot Print	0.78 sq. m
Product display area	Front: 0.93 sq.m / Back: 0.68 sq.m/ Top: 0.53 sq.m/side: 0.70 sq.m(0.35x2)
Temperature Range	2° to 10° C
Available Variants	Cold
Shelves (Nos.)	Base + 3 Shelves
Refrigerant	R290
Energy consumption	9.20 kWh/24 hrs

Waterfall Shelves | Ultra clear Glass | Adjustable Shelf Pitch | Stainless steel bottom shelf | LED lit shelves | Low maintenance

Both Models Available In Two Colour Options





Thank You!

