

Western Refrigeration Private Limited

LARGEST MANUFACTURER OF COMMERCIAL COOLERS IN INDIA
A PROUD LEGACY OF 50 YEARS OF EXCELLENCE





VERTICAL FREEZER

WESTERN VERTICAL FREEZER – SRF Range

Precision Freezing With Full Visibility

The Western Vertical Freezer combines powerful freezing performance with exceptional product visibility.

Designed with a sleek, space-saving vertical build and a clear glass front, it not only preserves products at optimal temperatures but also enhances display appeal. Its energy-efficient operation, user-friendly features, and durable construction make it an ideal choice for modern retail and commercial environments.



SRF80HC



Also available in EdgeLit

Technical Specifications

External Dimensions

502 (W) x 556 (D) x 729 (H)

Internal Dimensions

404 (W) x 420 (D) x 542 (H)

Gross Volume

74 Litre

Net Volume

68 Litre

Net Weight

44 Kg without IPS / $\pm 5\%$

No. of Shelves

2 Nos.

Temperature Range

-18°C to -24°C

Footprint

0.28 Sq. m.

Product Visibility

0.19 Sq. m.

Refrigerant

R-290

Container Loading

20'FT – 54 | 40'FT – 120

Energy Consumption

4.052 kWh/24 hrs.

SRF85HC



Technical Specifications

External Dimensions

502 (W) x 614 (D) x 870 (H)

Internal Dimensions

404 (W) x 420 (D) x 542 (H)

Gross Volume

74 Litre

Net Volume

68 Litre

Net Weight

44 Kg without IPS / $\pm 5\%$

No. of Shelves

2 Nos.

Temperature Range

-18°C to -24°C

Footprint

0.28 Sq. m.

Product Visibility

0.19 Sq. m.

Refrigerant

R-290

Container Loading

20'FT – 54 | 40'FT – 120

Energy Consumption

4.052 kWh/24 hrs.

SRF205HC



Technical Specifications

External Dimensions

514 (W) x 549 (D) x 1303 (H)

Internal Dimensions

394 (W) x 431 (D) x 812 (H)

Gross Volume

138 litre

Net Volume

109 litre

Net Weight

64 Kg With IPS / 61 Kg without IPS / $\pm 5\%$

No. of Shelves

3 no's Shelves

Temperature Range

-26°C to -18°C

Footprint

0.28 sq. m

Product Display Area

0.31 sq. m

Refrigerant

R-290

Container Loading

20'FT -30 | 40'FT – 60

Energy Consumption

4.70 kWh/24 hrs.

SRF295HCF



Technical Specifications

External Dimensions

514 (W) x 549 (D) x 1561 (H)

Internal Dimensions

394 (W) x 431 (D) x 1062 (H)

Gross Volume

186 Litre

Net Volume

136 Litre

Net Weight

74 Kg With IPS / 71 Kg without IPS / $\pm 5\%$

No. of Shelves

4 Nos.

Temperature Range

-26°C to -18°C

Footprint

0.28 Sq. m.

Product Visibility

0.45 Sq. m.

Refrigerant

R-290

Container Loading

20'FT – 30 | 40'FT – 60

Energy Consumption

4.71 kWh/24 hrs.

SRF350HC



Technical Specifications

External Dimensions

613 (W) x 680 (D) x 1790 (H) / 1815(H)

Internal Dimensions

493 (W) x 518 (D) x 1330 (H)

Gross Volume

332 litre

Net Volume

276 litre

Net weight

105 Kg

No. of Shelves

4 no's Shelves

Temperature Range

-18°C to -24°C

Footprint

0.42 sq. m

Product Visibility

0.56 sq. m

Refrigerant

R-290

Container Loading

20'FT – 24 | 40'FT – 51

Energy Consumption

8.8025 kWh/24 hrs

SRF405HC



Technical Specifications

External Dimensions

Internal Dimensions

Gross Volume

Net Volume

Net weight

No. of Shelves

Temperature Range

Footprint

Product Visibility

Refrigerant

Container Loading

Energy Consumption

623 (W) x 657 (D) x 1852 (H)

503 (W) x 513 (D) x 1331 (H)

344 Litre

295 Litre

115 Kg

5 Nos.

-18°C to -24°C

0.42 Sq. m.

0.69 Sq. m.

R-290

20'FT – 24 | 40'FT – 51

8.0372 kWh/24 hrs.

SRF550HC/SRF555HC



Technical Specifications

External Dimensions

623 (W) x 715 (D) x 2116 (H)

Internal Dimensions

503 (W) x 570 (D) x 1618 (H)

Gross Volume

467 Litre

Net Volume

405 Litre

Net Weight

132 Kg with IPS / 127 Kg without IPS $\pm$ 5%

No. of Shelves

6 Nos.

Temperature Range

-26°C to -18°C

Footprint

0.45 Sq. m.

Product Visibility

0.98 Sq. m.

Refrigerant

R-290

Container Loading

20'FT – 24 | 40'FT – 48

Energy Consumption

9.65 kWh/24 hrs.

SRF825HC



Technical Specifications

External Dimensions	810 (W) x 790 (D) x 2125 (H)
Internal Dimensions	690 (W) x 652 (D) x 1590 (H)
Gross Volume	700 litre
Net Volume	623 litre
Net Weight	170 ± 5%
No. of Shelves	5 no's Shelves
Temperature Range	-28°C to -15°C
Footprint	0.64 sq. m
Product Visibility	0.89 sq. m
Refrigerant	R-290
Container Loading	20'FT – 12 40'FT – 26
Energy Consumption	9.35 kWh/24 hrs.

SRF900



Technical Specifications

External Dimensions	920 (W) x 780 (D) x 2128 (H)
Internal Dimensions	800 (W) x 612 (D) x 1595 (H)
Gross Volume	762 litre
Net Volume	672 litre
Net Weight	198
No. of Shelves	10 no's Shelves
Temperature Range	-18°C to -26°C
Footprint	0.72 sq. m
Product Visibility	0.92 sq. m / 0.333 (W) x 1.363 (H) x 2 doors
Refrigerant	R404A
Container Loading	20'FT – 14 40'FT – 30
Energy Consumption	18.22 kWh/24 hrs.

SMF12



Technical Specifications

External Dimensions

1200 (W) x 757 (D) x 2022 (H)

Internal Dimensions

1076 (W) x 577 (D) x 1495 (H)

Gross Volume

935 Liters

Net Volume

863 Liters

Net Weight

205 kg

No. of Shelves

10 Nos.

Temperature Range

-18°C to -23°C

Footprint

0.91 Sq. m.

Product Visibility

1.46 Sq. m

Refrigerant

R404A

Container Loading

20'FT – 13 nos. | 40'FT – 27 nos.

Energy Consumption

20.41 kWh/24 hrs

SMF18



Technical Specifications

External Dimensions

1800 (W) x 757 (D) x 2022 (H)

Internal Dimensions

1676 (W) x 590 (D) x 1495 (H)

Gross Volume

1454 Liters

Net Volume

1236 Liters

Net Weight

296 Kg

No. of Shelves

15 Nos.

Temperature Range

-18°C to -23°C

Footprint

1.36 Sq. m.

Product Visibility

2.19 Sq. m.

Refrigerant

R-404A

Container Loading

20'FT – 9 nos. | 40'FT – 18 nos.

Energy Consumption

24.55 kWh/24 hrs



THANK YOU!