

Western Refrigeration Private Limited

LARGEST MANUFACTURER OF COMMERCIAL COOLERS IN INDIA
A PROUD LEGACY OF 50 YEARS OF EXCELLENCE





Visi Coolers

Cooling with Visibility





Counter Top Models

VISI-COOLERS



SRC20HC-GL



Technical Specifications

External Dimensions

350 (W) x 475 (D) x 507 (H)

Internal Dimensions

270 (W) x 335 (D) x 380 (H)

Gross Volume

27 Liters

Net Volume

26.5 Liters

Net Weight

19 Kg $\pm$ 5%

Product Display

0.092 sq. m.

Footprint

0.16 sq. m.

Capacity/Facing :

300ml RGB BTL / Facing

12/4

330ml Can cap / Facing

28/4

500ml PET BTL / Facing

12/4

Shelves

2 no's shelves

Refrigerant

R-600a

Energy Consumption

0.88 kWh/24 hrs.

Countertop Model | LED Illumination Low
Maintenance Condenser | Energy Efficient

SRC25HC-GL



Technical Specifications

External Dimensions

Internal Dimensions

Gross Volume

Net Volume

Net Weight

Product Display

Footprint

Capacity/Facing :

300ml RGB BTL / Facing

330ml Can cap / Facing

500ml PET BTL / Facing

Shelves

Refrigerant

Energy consumption

346 (W) x 430 (D) x 635 (H)

270 (W) x 295 (D) x 370 (H)

29.5 Liters

28.5 Litre

21 Kg

0.09 sq. m

0.15 sq. m

16/4

25/4

14/4

2 no's shelves

R-600a

1.26 kWh/24 hrs

Countertop Model | LED Illumination Low
Maintenance Condenser Energy Efficient

SRC30HC-GL



Technical Specifications

External Dimensions

Internal Dimensions

Gross Volume

Net Volume

Net Weight

Product Display

Footprint

Capacity/Facing :

300ml RGB BTL / Facing

330ml Can cap / Facing

500ml PET BTL / Facing

Shelves

Refrigerant

Energy consumption

350 (W) x 460 (D) x 630 (H)

270 (W) x 325 (D) x 500 (H)

37 Liters

36 Liters

21 Kg

0.12 sq. m

0.16 sq. m

16/4

32/4

14/4

2 no's shelves

R-600a

0.99 kWh/24 hrs.

Counter Top Model | LED Illumination Low
Maintenance Condenser Energy Efficient

SRC6oHC-GL



Technical Specifications

External Dimensions	462 (W) x 474 (D) x 664 (H)
Internal Dimensions	382 (W) x 362 (D) x 542 (H)
Gross Volume	59 litre
Net Volume	54 litre
Net Weight	29 Kg
Product Display	0.20 sq. m
Footprint	0.21 sq. m
Capacity/Facing :	
300ml RGB BTL / Facing	36 nos. / 6
330ml Can cap / Facing	60 nos. / 5
500ml PET BTL / Facing	30 nos. / 5
Shelves	2 no's shelves
Refrigerant	R-600a
Energy consumption	1.14 kWh/24 hrs

Countertop Model | LED Illumination Low
Maintenance Condenser Energy Efficient

CPS30HC-GL



Technical Specifications

External Dimensions

360 (W) x 360 (D) x 655 (H)

Internal Dimensions

278(W) x 325 (D) x 385 (H)

Gross Volume

34.5 litre

Net Volume

34.5 litre

Net Weight

22 Kg

Product Display

0.207 sq. m

Footprint

0.130 sq. m

Capacity/Facing :

330ML Can cap / Facing

42 nos. / 4

500ML PET BTL / Facing

18 nos. / 4

300ML RGB BTL / Facing

20 nos. / 4

Shelves

03 no's Shelves

Refrigerant

R-600a

Container Loading

420 / 210 no's (3stack)

Energy consumption

1.16 kWh/24 hrs.

Countertop Model | LED Illumination Low
Maintenance Condenser Energy Efficient

CT30HC-GL



Technical Specifications

External Dimensions

465 (W) x 555 (D) x 450 (H)

Internal Dimensions

385 (W) x 448 (D) x 370 (H)

Gross Volume

30 litre

Net Volume

30 litre

Net Weight

17 Kg $\pm$ 5%

Product Display

0.19 sq. m

Footprint

0.26 sq. m

Shelves

02 no's Shelves

Refrigerant

R-600a

Container Loading

328 /160 no's

Energy consumption

1.31 kWh/24 hrs

Countertop Model | LED Illumination Low
Maintenance Condenser Energy Efficient



Non-Canopy Models

VISI-COOLERS

SRC150HC-GL



Technical Specifications

External Dimensions

Internal Dimensions

Gross Volume

Net Volume

Net Weight

Product Display

Footprint

Capacity/Facing :

300ml RGB BTL / Facing

330ml Can cap / Facing

500ml PET BTL / Facing

Shelves

Refrigerant

Energy consumption

484 (W) x 547 (D) x 980 (H)

404 (W) x 419 (D) x 845 (H)

137 litre

130 litre

43 Kg

0.334 sq. m

0.264 sq.m

90 nos. / 6

166 nos. / 6

83 nos. / 6

4 no's shelves

R-600a

1.06 KWh/24 hrs.

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC200HC-GL



Technical Specifications

External Dimensions

514 (W) x 549 (D) x 1303 (H)

Internal Dimensions

434 (W) x 454 (D) x 850 (H)

Gross Volume

167 litre

Net Volume

155 litre

Net Weight

52 Kg

Product Display

0.37 sq. m

Footprint Area

0.28 sq. m

Capacity/Facing :

300ml RGB bottle

198 nos. / 6

330ml CAN

90 nos. / 6

500ml PET

105 nos. / 7

Shelves

3 no's Shelves

Refrigerant

R-600a

Energy consumption

2.06 kWh/24 hrs

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC280HC-GL



Technical Specifications

External Dimensions

514 (W) x 549 (D) x 1531 (H)

Internal Dimensions

434 (W) x 454 (D) x 1100 (H)

Gross Volume

216 litre

Net Volume

202 litre

Net Weight

60 Kg

Product Display

0.47 sq. m

Footprint

0.28 sq. m

Capacity/Facing :

300ml RGB BTL / Facing

147 nos. / 7

330ml Can cap / Facing

270 nos. / 6

500ml PET BTL / Facing

126 nos. / 6

Shelevs

4 no's shelves

Refrigerant

R-290

Energy consumption

2.50 kWh/24 hrs

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC360HC-GL



Technical Specifications

External Dimensions

514 (W) x 620 (D) x 1772 (H)

Internal Dimensions

434(W) X 520W x 1330 (H)

Gross Volume

302 Liters

Net Volume

285 Liters

Net Weight

67 Kg

Product Display

0.56 sq. m

Footprint

0.32 sq. m

Capacity/Facing :

330ML Can cap / Facing

396 nos. / 6

500ML PET BTL / Facing

192 nos. / 6

300ML RGB BTL / Facing

242 nos. / 7

Shelves

5 no's Shelves

Refrigerant

R-290

Container Loading

20' – 30 nos. | 40' – 60 nos.

Energy consumption

2.27 kWh/24 hrs.

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC380HC-GL



Technical Specifications

External Dimensions

573 (W) x 655 (D) x 1772 (H)

Internal Dimensions

493 (W) x 520 (D) x 1330 (H)

Gross Volume

340 Liters

Net Volume

324 Liters

Net Weight

74 Kg

Product Display

0.64 sq. m

Footprint

0.38 sq. m

Capacity/Facing :

330ML Can cap / Facing

469 nos. / 7

500ML PET BTL / Facing

224 nos. / 7

300ML RGB BTL / Facing

279 nos. / 8

Shelves

5 no's Shelves.

Refrigerant

R-290

Container Loading

20' – 27 nos. | 40' – 54 nos.

Energy consumption

2.45 kWh/24 hrs.

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC501HC-GL



Technical Specifications

External Dimensions

573 (W) x 667 (D) x 2023 (H)

Internal Dimensions

493 (W) x 520 (D) x 1580 (H)

Gross Volume

405 Liters

Net Volume

389 Liters

Net Weight

84 kg

Product Display

0.76 sq. m

Footprint

0.38 sq.m

Capacity/Facing :

330ML Can cap / Facing

567 nos. / 7

500ML PET BTL / Facing

273 nos. / 7

300ML RGB BTL / Facing

300 nos. / 8

Shelves

6 no's Shelves

Refrigerant

R-290

Container Loading

20' – 24 nos. | 40' – 48 nos.

Energy consumption

3.65 kWh/24 hrs.

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC810HC-GL



Technical Specifications

External Dimensions	1025 (W) x 668 (D) x 1840 (H)
Internal Dimensions	945 (W) x 538 (D) x 1365 (H)
Gross Volume	695 Liters
Net Volume	665 Liters
Net Weight	127 Kg
Product Display	1.11 sq. m
Footprint	0.72 sq. m
Capacity/Facing :	
330ML Can cap / Facing	895 nos. / 7 + 7
500ML PET BTL / Facing	434 nos. / 7 + 7
300ML RGB BTL / Facing	555 nos. / 8 + 7
Shelves	10 no's Shelves
Refrigerant	R-290
Container Loading	20' – 20 nos. 40' – 40 nos
Energy consumption	4.42 kWh/24 hrs.

I chill Door | LED Illumination

Low Maintenance Condenser | Energy Efficient

SRC1050HC-GL



Technical Specifications

External Dimensions

1025 (W) x 767 (D) x 2121 (H)

Internal Dimensions

945 (W) x 612 (D) x 1592 (H)

Gross Volume

908 Liters

Net Volume

841 Liters

Net Weight

156 Kg

Product Display

1.24 sq. m

Footprint

0.79 sq. m

Capacity/Facing :

330ML Can cap / Facing

1161 nos. / 7 + 7

500ML PET BTL / Facing

540 nos. / 7 + 7

300ML RGB BTL / Facing

675 nos. / 8 + 7

Shelves

12 no's Shelves

Container Loading

20' – 15 nos. | 40' – 33 nos.

Refrigerant

R-290

Energy consumption

6.82 kWh/24 hrs.

Standard Door | LED Illumination

Low Maintenance Condenser | Energy Efficient



Models with Canopy

VISI-COOLERS

SRC201HC-GL



Technical Specifications

External Dimensions

514 (W) x 549 (D) x 1475 (H)

Internal Dimensions

434 (W) x 454 (D) x 850 (H)

Gross Volume

167 Liters

Net Volume

155 Liters

Net Weight

56 Kg

Product Display

0.37 sq. m

Footprint

0.28 sq. m

Capacity/Facing :

330ML Can cap / Facing

198 nos. / 6

500ML PET BTL / Facing

90 nos. / 6

300ML RGB BTL / Facing

105 nos. / 7

Shelves

3 no's Shelves

Refrigerant

R-600a

Container Loading

20' – 30 nos. | 40' – 60 nos.

Energy consumption

2.10 kWh/24 hrs.

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC281HC-GL



Technical Specifications

External Dimensions

514 (W) x 549 (D) x 1725 (H)

Internal Dimensions

434 (W) x 454 (D) x 1100 (H)

Gross Volume

216 Liters

Net Volume

202 Liters

Net Weight

65 Kg

Product Display

0.47 sq. m

Footprint

0.28 sq. m

Capacity/Facing :

330ML Can cap / Facing

270 nos. / 6

500ML PET BTL / Facing

126 nos. / 6

300ML RGB BTL / Facing

147 nos. / 7

Shelves

4 nos. Shelves

Refrigerant

R-290

Container Loading

20' – 30 nos. | 40' – 60 nos.

Energy consumption

2.55 kWh/24 hrs

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC381HC-GL



Technical Specifications

External Dimensions

573 (W) x 655 (D) x 1992 (H)

Internal Dimensions

493 (W) x 520 (D) x 1330 (H)

Gross Volume

340 Liters

Net Volume

324 Liters

Net Weight

79 Kg

Product Display

0.64 sq. m

Footprint

0.38 sq. m

Capacity/Facing :

330ML Can cap / Facing

469 nos. / 7

500ML PET BTL / Facing

224 nos. / 7

300ML RGB BTL / Facing

279 nos. / 8

Shelves

5 no's Shelves

Refrigerant

R-290

Container Loading

20' – 27 nos. | 40' – 54 nos

Energy consumption

2.50 kWh/24 hrs.

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient

SRC950HC-GL



Technical Specifications

External Dimensions	1025 (W) x 707 (D) x 2102 (H)
Internal Dimensions	945 (W) x 552 (D) x 1592 (H)
Gross Volume	807 Liters
Net Volume	738 Liters
Net Weight	141 Kg
Product Display	1.13 sq. m
Footprint	0.725 sq. m
Capacity/Facing :	
330ML Can cap / Facing	980 nos. / 7 + 7
500ML PET BTL / Facing	490 nos. / 7 + 7
300ML RGB BTL / Facing	600 nos. / 8 + 7
Shelves	10 no's Shelves
Refrigerant	R-290
Container Loading	20' – 15 nos. 40' – 33 nos.
Energy consumption	5.41 kWh/24 hrs.
LED Illumination Inbuilt Door Handle	
Low Maintenance Condenser Energy Efficient	

SRC1800-GL



Technical Specifications

External Dimensions

1800 (W) x 850 (D) x 2201 (H)

Internal Dimensions

1700 (W) x 678 (D) x 1680 (H)

Gross Volume

1882 Liters

Net Volume

1769 Litres

Net Weight

306 Kg

Product Display

1.99 sq. m

Footprint

1.53 sq. m

Capacity/Facing :

330ML Can cap / Facing

2040 nos. / 8 + 8 + 8

500ML PET BTL / Facing

1020 nos. / 8 + 8 + 8

300ML RGB BTL / Facing

1275 nos. / 9 + 9 + 9

Shelves

15 no's Shelves

Refrigerant

R-404A

Container Loading

20' – 6 nos. | 40' – 14 nos

Energy consumption

7.21 kWh/24 hrs

LED Illumination | Inbuilt Door Handle

Low Maintenance Condenser | Energy Efficient



Header On Door Models

VISI-COOLERS

SRC572HC-GL



Technical Specifications

External Dimensions

640 (W) x 707 (D) x 2103 (H)

Internal Dimensions

560 (W) x 560 (D) x 1634 (H)

Gross Volume

510 Liters

Net Volume

490 Liters

Net Weight

103 Kg

Product Display

0.76 sq. m

Footprint

0.45 sq. m

Capacity/Facing :

330ML Can cap / Facing

648 nos. / 8

500ML PET BTL / Facing

312 nos. / 8

300ML RGB BTL / Facing

376 nos. / 9

Shelves

6 nos.

Refrigerant

R-290

Container Loading

20' – 24 nos. | 40' – 51 nos.

Energy consumption

3.92 kWh/24 hrs

Header On Door Model | LED Illumination

Low Maintenance Condenser | Energy Efficient

SRC752HC-GL



Technical Specifications

External Dimensions

720 (W) x 746 (D) x 2103 (H)

Internal Dimensions

640 (W) x 560 (D) x 1634 (H)

Gross Volume

585 Liters

Net Volume

553 Liters

Net Weight

119 Kg

Product Display

0.88 sq. m

Footprint

0.51 sq. m

Capacity/Facing :

330ML Can cap / Facing

630 nos. / 9

500ML PET BTL / Facing

315 nos. / 9

300ML RGB BTL / Facing

400 nos. / 10

Shelves

6 nos. Shelves

Refrigerant

R-290

Container Loading

20' – 21 nos. | 40' – 45 nos.

Energy consumption

3.76 kWh/24 hrs.

Header On Door Model | LED Illumination

Low Maintenance Condenser | Energy Efficient



Supermarket Models

VISI-COOLERS

SMR12-GL



Technical Specifications

External Dimensions

1200 (W) x 757 (D) x 2022 (H)

Internal Dimensions

1077 (W) x 590 (D) x 1495 (H)

Gross Volume

935 Liters

Net Volume

870 Liters

Net Weight

172 Kg

Temperature Range

-2°C TO 10°C

Product Display

0.73 sq. m

Footprint

0.91 sq. m

Shelves

10 nos.

Refrigerant

R-134a

Energy Consumption

6.57 kWh/24 hrs

LED Illumination | Low Maintenance Condenser

Energy Efficient

SMF12-GL



Technical Specifications

External Dimensions

1200 (W) x 757 (D) x 2022 (H)

Internal Dimensions

1076 (W) x 577 (D) x 1495 (H)

Gross Volume

935 Liters

Net Volume

863 Liters

Net Weight

205 Kg

Temperature Range

-18°C TO -23°C

Product Display

1.46 sq. m

Footprint

0.91 sq. m.

Shelves

10 nos.

Refrigerant

R-404a

Energy Consumption

20.41 kWh/24 hrs

LED Illumination | Low Maintenance Condenser

Energy Efficient

SMR18-GL



Technical Specifications

External Dimensions	1800 (W) x 757 (D) x 2022 (H)
Internal Dimensions	1676 (W) x 590 (D) x 1495 (H)
Gross Volume	1454 Liters
Net Volume	1236 Liters
Net Weight	236 Kg
Temperature Range	-2°C TO 10°C
Product Display	2.19 sq. m
Footprint	1.36 sq. m
Shelves	15 nos.
Refrigerant	R-404a
Energy Consumption	8.78 kWh/24 hrs

LED Illumination | Low Maintenance Condenser
Energy Efficient

SMF18-GL



Technical Specifications

External Dimensions

1800 (W) x 757 (D) x 2022 (H)

Internal Dimensions

1676 (W) x 590 (D) x 1495 (H)

Gross Volume

1454 Liters

Net Volume

1236 Liters

Net Weight

296 Kg

Temperature Range

-18°C TO -23°C

Product Display

2.19 sq. m

Footprint

1.36 sq. m.

Shelves

15 nos.

Refrigerant

R404A

Energy Consumption

28.91 kWh/24hrs

LED Illumination | Low Maintenance Condenser

Energy Efficient

Open Showcase

WOS18



Technical Specifications

External Dimensions

Internal Dimensions

Gross Volume

Net Volume

Net Weight

Temperature Range

Product Display

Footprint

Shelves

Refrigerant

Energy Consumption

1892 (W) x 839 (D) x 1998 (H)

1830 (W) x 703 (D) x 1518 (H)

1900 Litre

920 Litre

301 Kg

0°C to 10°C

3.6 sq m

1.59 sq. m

1 Base self + 4 nos LT+ 4 nos RT

R-404A

33.97 kWh/24 hrs (12hrs Curtain
open + 12hrs curtain closed)

Thank You!